



DANGER
KEEP OUT OF REACH OF CHILDREN

STEMSHOT KF-1™

FUNGICIDE

Active ingredient: Contains 30 g/litre of propiconazole in the form of a ready-to-use solution.

A proprietary blend of propiconazole and nutrients for the control of *Armillaria* sp. in Kiwifruit vines.



Registered to
Agribiz NZ Ltd
265 James Fletcher Drive
Otahuhu
Auckland
Tel: (09) 270 8870
Fax: (09) 270 8871

In an emergency (All hours)
Call 0800 CHEMCALL 0800 243 622

In a transport emergency
Call 111

Net contents: 10 litres

Batch:

Date of Manufacture:



READ LABEL CAREFULLY BEFORE USING STEMSHOT KF-1

Active ingredient: Contains 30 g/litre of propiconazole in the form of a ready-to-use solution.

HSNO CLASS: 6.1E, 6.3A, 6.9B, 8.3A, 9.1A.
TOXICITY: <ul style="list-style-type: none">• DANGER: CORROSIVE, MAY CAUSE EYE DAMAGE.• HARMFUL: MAY BE HARMFUL IF SWALLOWED, INHALED OR ABSORBED THROUGH THE SKIN.• HARMFUL: MAY CAUSE SKIN IRRITATION.• HARMFUL: MAY CAUSE ORGAN DAMAGE FROM REPEATED ORAL EXPOSURE AT HIGH DOSES
ECOTOXICITY: <ul style="list-style-type: none">• VERY TOXIC TO AQUATIC ORGANISMS. Avoid contamination of any water supply with product or empty container
PRECAUTIONS: <ul style="list-style-type: none">• KEEP OUT OF REACH OF CHILDREN.• Avoid contact with skin and eyes, and inhalation of spray mist. Wear eye protection• Do not eat, drink or smoke while using.• Wash hands and face thoroughly after use and before eating or drinking and after work.
STORAGE: <ul style="list-style-type: none">• Store in original container, tightly closed and in a locked, dry, cool, well ventilated area below 30 °C, away from light, foodstuffs, feeds, seeds, fertilisers, insecticides, or fungicides used for the protection of crops.• Storage must be in accordance with the current version of NZS 8409 Management of Agrichemicals.
SHELF LIFE: <ul style="list-style-type: none">• When stored appropriately, this product should show no significant degradation for 2 years from the date of manufacture. Contact your supplier for further information about the use of any product that is older than this.
SPILLAGE: <ul style="list-style-type: none">• Wear appropriate protective clothing and prevent material from entering waterways. Absorb spills with inert material and place in waste container. Wash area with water and absorb with further inert material. Dispose of waste safely (such as a suitable landfill)
DISPOSAL: <ul style="list-style-type: none">• Triple rinse container and add residue to applicator gun. Crush and bury empty container in a suitable landfill.• Avoid contamination of any water supply with chemical or empty container.



FIRST AID: If swallowed DO NOT induce vomiting. For advice, contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately. If skin contact occurs, remove contaminated clothing and flush skin with running water. If contact with the eyes occurs, wash out immediately with running water for several minutes.

DIRECTIONS FOR USE:

- **Identification**

Identify affected vines in the growing season and mark with flagging tape or other identification method. (Consider application of STEMSHOT® KF-1™ to vines in close proximity to affected vines as symptoms may appear in these plants the following season.)

- **Timing**

Treat marked vines with STEMSHOT® KF-1® at any stage of the season, but do not apply during the period of high sap flow due to reduced treatment uptake by the plant (usually this period is from early September until the middle of October)

- **Application**

STEMSHOT® KF-1™ is to be used with the STEMGUN®.
No mixing or dilution of STEMSHOT® KF-1™ is required prior to use.
Use STEMSHOT® KF-1™ directly from the container.
Shake contents before use.

Pre-drill the vine stem at the appropriate location.
Apply a single application of STEMSHOT® KF-1™ per season at the rate of 100 mls per vine stem.
Apply in accordance to the instructions supplied with the STEMGUN®.

Insert a STEMPUG™ into the vine to seal the injection site following application.

- **Monitoring**

Monitor vine recovery in the following seasons and reapply if the symptoms persist.

PRECAUTIONS AND ADVERSE EFFECTS:

Only apply STEMSHOT® KF-1™ in accordance with the Directions for Use.



Disclaimer

To minimize the risk of damage or unintended outcomes always follow: (a) the directions on the labels; and (b) the advice of suitably qualified advisers before applying StemShot® KF-1.

Agribiz Limited has no control over: (a) the storage, handling, mixing, application or use of StemShot® KF-1 and StemGun®; or (b) the weather, plant or soil conditions before, during or after application of StemShot® KF-1, (all of which may affect the performance of StemShot® KF-1) and therefore takes no responsibility for and accepts no liability in respect of any failure in performance, losses, damages or injuries arising from such storage, handling, mixing, application or use of the product arising from the weather, plant or soil conditions before, during or after the application of StemShot® KF-1.

Agribiz Limited accepts no responsibility for, or liability in respect of any statements, claims, advice, directions or representations made by any of its staff, distributors or retailers in connection with StemShot® KF-1 and StemGun®.

To the maximum extent possible by law; (a) Agribiz Limited limits any liability in respect of StemShot® KF-1 or the supply thereof to the value of StemShot® KF-1 supplied; and (b) Primaxa Limited limits its liability in respect of StemShot® KF-1 to the liability to replace materially defective product.

Registered pursuant to the ACVM Act 1997, No. P007434.

See www.nzfsa.govt.nz/acvm for registration conditions.

Approved pursuant to the HSNO Act 1996, approval code HSR002471.

See www.ermanz.govt.nz/search/registers.html for controls applying to the substance.